


Scope of delivery

System Primus Line®



January 2012

Description	Primus Line® low pressure					Primus Line® medium pressure							Primus Line® high pressure						
	single-layer design					single-layer design							double-layer design						
	OD* inch	t inch	ID inch	water** psi	weight kg/m	OD* inch	t inch	ID inch	water** psi	weight kg/m	gas** psi	weight kg/m	OD* inch	t inch	ID inch	water** psi	weight kg/m	gas** psi	weight kg/m
Primus Line® DN 150	5,2	0,256	4,7	406	2,0	5,2	0,256	4,7	798	2,1	493	2,4	---	---	---	---	---	---	---
Primus Line® DN 200	7,2	0,256	6,7	290	2,9	7,2	0,256	6,7	566	3,0	363	3,3	7,2	0,354	6,5	899	4,0	566	4,3
Primus Line® DN 250	9,3	0,256	8,8	218	3,8	9,3	0,256	8,8	435	3,9	276	4,4	9,3	0,354	8,6	870	5,2	551	5,7
Primus Line® DN 300	11,1	0,256	10,6	174	4,6	11,1	0,256	10,6	377	4,7	232	5,2	11,1	0,354	10,4	725	6,2	450	6,7
Primus Line® DN 400	---	---	---	---	---	13,9	0,256	13,4	290	6,0	174	6,6	13,9	0,354	13,2	580	8,0	363	8,7
Primus Line® DN 500	---	---	---	---	---	18,1	0,256	17,6	218	7,7	145	8,5	---	---	---	---	---	---	---

The information in this document is based on our current knowledge and experience. Unless specified in the standard, the tests were carried out using internal methods on in-house testing equipment. Tests using other methods or on other test equipment would produce different results. As a result of our ongoing development work, we reserve the right to modify products and change the features of the products. The information, recommendations and suggestions provided in this document cannot be used to derive and legally binding assurance or warranty for certain properties or the suitability of the product for a specific application.

* Technical feasibility of different diameters after consulting the technical department of Rädlinger primus line GmbH.

** The indicated maximum working pressure is valid for a straight course of the pipe without bends. Maximum working pressure according to declaration of the technical department of Rädlinger primus line GmbH.